

Product Guide



Tubing



Stainless Steel
316/316L dual
1/8" - 2" Sizes Range
.028" - .188" Thickness Range

Pots



Stainless Steel
316/316L dual
SCH 40 & 80
Sizes: 2", 3" & 4"
Made in Mexico

Tube Fittings



Needle Valves

NS/NC



NPC/NPS



2S



5S



Hammer Unions

FIG. 200 & 206 BW



FIG. 602 THRD



FIG. 602 BW



FIG. 1502 THRD



Expansion Joint



BUNA-NBR
GALVANIZED C.S. FLANGES
Class: 150
Sizes: 2" - 24"

Carbon & Stainless Steel Pipes



Material: CS, SS304L & SS316L
Types: Welded, Helicoidal Weld & Seamless
Schedule: 10 THRU XXS
Sizes: 1/4" - 60"

Flanges

LAP JOINT




BLIND



SLIP ON



SOCKET WELD



THREADED



WELDING NECK



Carbon Steel

ANSI/ ASME B16.5
Forged Steel SA/A-105N
NACE MR - 0175

Stainless Steel

Forged Steel A-182 Gr. 304/304L
Forged Steel A-182 Gr. 316/316L

Class: 150/300/600/900/1,500/2,500
Sizes: 1/2" - 54"

*REDUCING FLANGES AVAILABLE UNDER REQUEST

Forged Fittings 3000 / 6000 PSI



FLANGED END



Fig. 5112FF/ 5312FF/ 5612FF

Ball Valves



Fig. 5112TF/ 5312TF/ 5612TF

A-216 WCB Body
Full Port
API 6D / API 608
NACE MR - 0175
316SS TRIM
ASME B16.10/B16.5
Sizes: 1" - 12"

FLOATING & TRUNNION TYPES

Ball Valves

2010CR



2000 PSI Reduced Port
Forged Steel
NACE MR - 0175
ASME B1.20.1
API 598
1 PC Body
Sizes: 1/4" - 2"
NPT / SW Ends

1010 SERIES



Stainless/Carbon Steel
1000 PSI Reduced Port
NACE MR - 0175
ASME B1.20.1
API 598
1 PC Body
Sizes: 1/4" - 2"
NPT / SW Ends

1020 SERIES



Stainless/Carbon Steel
1000 PSI Full Port
NACE MR - 0175
ASME B1.20.1
API 598
2 PC Body
Sizes: 1/4" - 4"
NPT / SW Ends

1030 SERIES



Stainless/Carbon Steel
1000 PSI Full Port
NACE MR - 0175
ASME B1.20.1
API 598
3 PC Body
Sizes: 1/4" - 4"
NPT / SW Ends

1530 SERIES



Stainless/Carbon Steel
1500 PSI Standard Port
NACE MR - 0175
ASME B1.20.1
API 598
3 PC Body
Sizes: 1/4" - 2"

2020 SERIES



Stainless/Carbon Steel
2000 PSI Full Port
NACE MR - 0175
ASME B1.20.1
API 598
2 PC Body
Sizes: 1/4" - 2"
NPT / SW Ends

3020 SERIES



Stainless/Carbon Steel
3000 PSI Full Port
NACE MR - 0175
ASME B1.20.1
API 598 / API 607
2 PC Body
Sizes: 1/4" - 2"
NPT / SW Ends

6020 SERIES



Stainless/Carbon Steel
6000 PSI Full Port
NACE MR - 0175
ASME B1.20.1
API 598 / API 607
2 PC Body
Sizes: 1/4" - 1 1/2" Full Port
2" Reduced Port
NPT / SW Ends

Cast Steel Valves



GATE VALVE

Cast Steel A-216 Gr. WCB
API 600
API TRIM 8
ASME B16.34
RF Ends
Class: 150 / 300 / 600
Sizes: 2" - 24"

Fig. 1118F / 1318 F / 1618F



CHECK VALVE

Cast Steel A-216 Gr. WCB
BS 1868
API TRIM 8
ASME B16.34
RF Ends
Class: 150 / 300 / 600
Sizes: 2" - 24"

Fig. 2118F / 2318 F / 2618F



GLOBE VALVE

Cast Steel A-216 Gr. WCB
API 623 (BS 1873)
API TRIM 8
ASME B16.34
RF Ends
Class: 150 / 300 / 600
Sizes: 2" - 12"

Fig. 3118F / 3318F / 3618F

SS Cast Steel Valves

GATE VALVE



CHECK VALVE



GLOBE VALVE



CHECK VALVE



NRS GATE VALVE



OS&Y GATE VALVE



GLOBE VALVE



Butterfly Valves

4112L



4112W



SERIE 30 / 31



SERIE 40 - 45



Y-Strainers

ST 62 SERIES



ST58



ST 61 SERIES



ST12



ST80T SERIES



Forged Steel Valves

GATE VALVE



Fig. 1828T / 1831T

CHECK VALVE



Fig. 2828T / 2831T

GLOBE VALVE



Fig. 3828T / 3831T

Gaskets

CG & CGI



ASME B16.20
Stainless Steel 304L & 316L
Filler Graphite
Class: 150 / 300 / 600
Sizes: 1/2" - 36"

Studs

B7P SERIES



Carbon Steel A-193 Gr.B7 & A-194 Gr.2H
Zinc plated coating
Diameters: 1/2" - 1 7/8"
Length: 2 1/2" - 15 1/2"

Backing Rings

BRCS



Carbon Steel SA/A-105
ANSI B16.50
Class: 125 / 150
Sizes: 2" - 24"

Single & Dual Disc Check Valves

CV44M-CS/CV 44M-SS

Wafer - Dual Disc
Stainless/Carbon Steel
Class: 300
Sizes: 2" - 48"



CV42M-CS/CV 42M-SS

Wafer & Lug Type Dual Disc
Stainless/Carbon Steel
Class: 150
Sizes: 2" - 48"



CV32M-CS/CV32T-SS

Wafer - Swing
Stainless/Carbon Steel
Class: 150
Sizes: 2" - 12"



CV31B-DI

Wafer - Swing
Ductile Iron
Class: 150
Sizes: 2" - 12"



CV41B-DI

Wafer - Swing
Ductile Iron
Class: 150
Sizes: 2" - 12"



Grooved Fittings



ASME



Std. Rigid Coupling



Std. Flexible Coupling



HDPE-to-steel transition coupling



Reducing Coupling



High Pressure Coupling



Flange Adapter



Flexible Coupling



Flange Adapter Niple



Lateral 45°



True Wye



3D Elbow



3R Elbow



90° Elbow



45° Elbow



22.5° Elbow



Standard Tee



Reducing Tee



End Cap



Eccentric Reducer



Concentric Reducer

